

アルミ丸管

寸 法		M / K G	A 1050		A 5052		A 6063	
			4M	5M	4M	5M	4M	4M
外径	内径		引拔品	引拔品	引拔品	引拔品	引拔品	押出品
5	× 1.0	0.03						
6	× 1.0	0.04						
7	× 1.0	0.05						
8	× 0.8	0.05						
8	× 1.0	0.06						
8	× 1.4	0.08						
9	× 1.0	0.07						
9.5	× 1.0	0.07						
10	× 1.0	0.08						
10	× 1.4	0.10						
10	× 1.5	0.11						
11	× 1.0	0.09						
12	× 1.0	0.10						
12	× 1.5	0.14						
12	× 2.0	0.17						
12.7	× 1.0	0.10						
13	× 1.0	0.10						
14	× 1.0	0.11						
14	× 2.0	0.21						
15	× 1.0	0.12						
15	× 1.4	0.16						
15	× 2.0	0.22						
16	× 1.0	0.13						
16	× 1.5	0.19						
16	× 2.0	0.24						
16	× 3.0	0.34						
17	× 1.0	0.14						
18	× 1.0	0.15						
18	× 1.5	0.21						
18	× 2.0	0.28						
19	× 1.0	0.16						
19	× 1.5	0.23						
19	× 2.0	0.29						
19	× 3.0	0.41						

* M単重は、参考値です。

アルミ丸管

寸 法		M / K G	A 1050		A 5052		A 6063	
			4M	5M	4M	5M	4M	4M
外径	内径		引拔品	引拔品	引拔品	引拔品	引拔品	押出品
20	× 1.0	0.16						
20	× 1.4	0.22						
20	× 1.5	0.24						
20	× 2.0	0.31						
20	× 3.0	0.44						
22	× 1.0	0.18						
22	× 1.5	0.27						
22	× 2.0	0.35						
22	× 3.0	0.49						
25	× 1.0	0.21						
25	× 1.5	0.30						
25	× 1.6	0.32						
25	× 2.0	0.40						
25	× 2.5	0.49						
25	× 3.0	0.57						
28	× 1.0	0.23						
28	× 1.5	0.34						
28	× 1.6	0.36						
28	× 2.0	0.45						
28	× 3.0	0.65						
30	× 1.0	0.25						
30	× 1.4	0.35						
30	× 1.5	0.37						
30	× 2.0	0.48						
30	× 3.0	0.70						
32	× 1.0	0.27						
32	× 1.5	0.40						
32	× 2.0	0.52						
32	× 3.0	0.75						
35	× 1.0	0.29						
35	× 1.5	0.43						
35	× 2.0	0.57						
35	× 3.0	0.83						
38	× 1.5	0.47						

* M単重は、参考値です。

アルミ丸管

寸 法		M / K G	A 1050		A 5052		A 6063	
			4M	5M	4M	5M	4M	4M
外径	内径		引拔品	引拔品	引拔品	引拔品	引拔品	押出品
70	× 2.0	1.17						
70	× 3.0	1.74						
70	× 5.0	2.81						
75	× 3.0	1.87						
70	× 4.0	2.28						
75	× 5.0	3.02						
80	× 3.0	2.00						
80	× 4.0	2.63						
80	× 5.0	3.24						
85	× 3.0	2.13						
85	× 5.0	3.46						
90	× 3.0	2.25						
90	× 4.0	2.97						
90	× 5.0	3.67						
100	× 3.0	2.51						
100	× 4.0	3.32						
100	× 5.0	4.10						
110	× 3.0	2.77						
110	× 5.0	4.54						
120	× 3.0	3.03						
120	× 4.0	4.01						
120	× 5.0	4.97						
130	× 3.0	3.29						
130	× 5.0	5.40						
150	× 3.0	3.81						
150	× 5.0	6.26						
160	× 5.0	6.70						
165	× 5.0	6.91						
180	× 5.0	7.56						
200	× 5.0	8.42						

* M単重は、参考値です。

アルミ丸管

寸 法		M / K G	A 1050		A 5052		A 6063	
			4M	5M	4M	5M	4M	4M
外径	内径		引抜品	引抜品	引抜品	引抜品	引抜品	押出品
38	× 2.0	0.62						
38	× 3.0	0.91						
38	× 4.0	1.17						
38	× 5.0	1.43						
40	× 1.0	0.34						
40	× 1.5	0.50						
40	× 2.0	0.66						
40	× 3.0	0.96						
40	× 4.0	1.24						
40	× 5.0	1.51						
42	× 2.0	0.69						
43	× 1.5	0.54						
45	× 1.0	0.38						
45	× 1.5	0.56						
45	× 2.0	0.74						
45	× 3.0	1.09						
45	× 5.0	1.73						
50	× 1.0	0.42						
50	× 1.5	0.63						
50	× 2.0	0.83						
50	× 3.0	1.22						
50	× 4.0	1.59						
50	× 5.0	1.94						
55	× 2.0	0.92						
55	× 3.0	1.35						
55	× 5.0	2.16						
55	× 8.0	3.25						
60	× 2.0	1.00						
60	× 3.0	1.48						
60	× 4.0	1.94						
60	× 5.0	2.38						
65	× 2.0	1.09						
65	× 3.0	1.61						
65	× 5.0	2.59						

* M単重は、参考値です。